L Number	Hits	Search Text	DB	Time stamp
12	50	stor\$3 near4 ((condition\$2 adj1 flag\$1) near4 (result\$1 or data))	USPAT;	2004/08/20 12:56
*		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB,	
			ЕРО; ЈРО;	
			IBM_TDB	
13	20	stor\$3 near4 ((condition\$2 adj1 flag\$1) near4 (result\$1))	USPĀT;	2004/08/20 12:57
			US-PGPUB;	
			ЕРО; ЈРО;	
			IBM_TDB	
14	1	memory near4 ((condition\$2 adj1 flag\$1) near4 (result\$1))	USPAT;	2004/08/20 13:05
		(**************************************	US-PGPUB;	200 05.20 15.05
			EPO; JPO;	
1			IBM_TDB	
15	0	(("same" or together) near4 memory) same ((condition\$2 adj1 flag\$1)	USPAT;	2004/08/20 13:06
		near4 (result\$1))	US-PGPUB;	200 11 00 12 0 13:00
1			ЕРО; ЛРО;	İ
1			IBM TDB	
16	0	(("same" or together) near4 memory) with ((condition\$2 adj1 flag\$1)	USPAT;	2004/08/20 13:06
	Ŭ	near4 (result\$1))	US-PGPUB;	2004/08/20 13:00
		(10001))	EPO; JPO;	
			IBM TDB	
17	0	(memory near4 address) with ((condition\$2 adj1 flag\$1) near4	USPAT;	2004/09/20 12:07
`	U	(result\$1))	US-PGPUB;	2004/08/20 13:07
		(Testitus))		
			EPO; JPO;	
.8	14	mamoru como ((condition\$2 odil flos\$1) - cond (4\$1)	IBM_TDB	2004/00/20 12 07
	14	memory same ((condition\$2 adj1 flag\$1) near4 (result\$1))	USPAT;	2004/08/20 13:07
			US-PGPUB;	
			ЕРО; ЈРО;	
	245	(710/00 A) OOL 9	IBM_TDB	
9	345	(712/234).CCLS.	USPAT;	2004/08/20 13:22
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
20	236	(712/237).CCLS.	USPAT;	2004/08/20 13:22
			US-PGPUB;	
			ЕРО; ЛРО;	
_			IBM_TDB	
.1	361	(712/239).CCLS.	USPAT;	2004/08/20 13:22
			US-PGPUB;	
			ЕРО; ЛРО;	
_			IBM_TDB	
2	267	(712/233).CCLS.	USPAT;	2004/08/20 15:01
			US-PGPUB;	
			ЕРО; ЛРО;	,
			IBM_TDB	
:3	24	(status adj1 bit\$1) near4 (result\$1) near4 stor\$3	USPAT;	2004/08/20 15:01
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
	4	register near4 (data near4 status) near4 (jump or branch)	USPĀT;	2004/08/19 16:14
		, , ,	US-PGPUB;	55.12 10.13
			ЕРО; ЛРО;	
			IBM_TDB	
	176	((jump or branch) near4 address) near4 status	USPAT;	2003/10/17 16:45
		(GF , www. 400) Ment I buttub	US-PGPUB;	2003/10/17 10:43
			EPO; JPO;	
	İ		IBM_TDB	
	26	((jump or branch) near4 address) near4 (condition adj1 field)	_	2002/10/17 17 45
	20	(Comp or oranger) near address; near (condition adj. near)	USPAT;	2003/10/17 16:45
			US-PGPUB;	
	İ		ЕРО; ЛРО;	
			IBM_TDB	

-	0	((jump or branch) near4 address) near4 (condition adj1 field) near4 register	USPAT; US-PGPUB;	2003/10/17 16:51
		register	EPO; JPO;	
	4.7		IBM_TDB	2002/10/17 16 45
-	47	((jump or branch) near4 address) near4 status near4 register	USPAT; US-PGPUB;	2003/10/17 16:45
			EPO; JPO;	
			IBM_TDB	
-	88	((jump or branch) near4 address) near4 condition\$1 near4 register	USPAT;	2003/10/17 16:58
			US-PGPUB;	
			EPO; JPO; IBM_TDB	ļ
-	0	((jump or branch) adj1 register) near4 (branch adj1 data) near4 (branch	USPAT;	2003/10/17 16:58
		adjl condition)	US-PGPUB;	
			ЕРО; ЛРО;	
_	0	((jump or branch) adjl register) near4 ((branch or jump) adjl data)	IBM_TDB USPAT;	2003/10/17 16:59
•		near4 ((branch or condition) adj1 condition)	US-PGPUB;	2003/10/17 10.39
		, and the second	ЕРО; ЛРО;	
			IBM_TDB	
-	1	((jump or branch) adjl register) near4 data near4 condition	USPAT;	2003/10/17 17:00
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	421	((jump or branch) adj1 register)	USPAT;	2003/10/17 17:00
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
_	7	((jump or branch) adj1 register) near4 condition	USPAT;	2003/10/17 17:03
		(Compare content) and a regional processing and	US-PGPUB;	2003/10/17 17:03
			ЕРО; ЛРО;	
	20	(condition odil or de) cond (condt cond date)	IBM_TDB	2002/10/17 17 21
-	20	(condition adj 1 code) near4 (result near4 data)	USPAT; US-PGPUB;	2003/10/17 17:31
			EPO; JPO;	
			IBM_TDB	
-	3	(condition adj1 flag) near4 (result near4 data)	USPAT;	2003/10/17 17:34
			US-PGPUB; EPO; JPO;	İ
			IBM_TDB	
-	3	(status adj1 flag) near4 (result near4 data)	USPAT;	2003/10/17 17:35
			US-PGPUB;	
			EPO; JPO; IBM TDB	
-	12	(status adj1 field\$1) near4 (result near4 data)	USPAT;	2003/10/17 17:30
			US-PGPUB;	
			ЕРО; ЛРО;	
	1	(condition adj1 field\$1) near4 (result near4 data)	IBM_TDB USPAT;	2003/10/17 17:20
	'	(condition auf) neutral (result lical data)	US-PGPUB;	2003/10/17 17:30
			ЕРО; ЛРО;	
			IBM_TDB	
-	37	(condition adj1 code\$1) near4 (result near4 data)	USPAT;	2003/10/17 17:31
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	4	(condition adj1 flag\$1) near4 (result near4 data)	USPAT;	2003/10/17 17:52
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	6	(status adj1 flag\$1) near4 (result near4 data)	USPAT;	2003/10/17 17:53
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	L

-	2	(condition adj1 bit\$1) near4 (result near4 data)	USPAT;	2003/10/17 17:52
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	10	(status adj1 bit\$1) near4 (result near4 data)	USPAT;	2003/10/17 17:53
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	5	(("4788655") or ("3573854") or ("5193157") or ("6324641") or	USPAT;	2003/10/20 07:52
		("4967351")).PN.	US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	41	(jump near4 compare) near4 instruction\$1	USPAT;	2004/08/19 16:14
			US-PGPUB;	
			ЕРО; ЛРО;	·
			IBM_TDB	
-	6	("5502826"   "5539888"   "6175370"   "6324643"   "6330657"   "6338136").PN.	USPAT	2004/08/19 16:19